

ProLine med 1 ristdel, med stålkassette - konvektordel tilpasset søjle

GoGeNo: 6945

Family Types Preset

A.01 Type - PLSK 03 05/00




Figure A.01

PLSK 03 05/00

Family Parameter Reference

A.02 Type - PLSK 04 05/00

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 702	
Frame	RAL 702	
Dimensions		
Width Side	144.0	
Width	100.0	
Length	2000.0	
Column Width	300.0	
Column Location	1000.0	
Identity Data		
URL	http://w	
Model	PL07 04 5/0	
Manufacturer	Meinertz	
Keynote	PL07 04	
GoGetNo	6945	6945
Type Comments		
Description		
Assembly Code		
Cost		
Energy Analysis		
Thermal Performance	382.000000	CTP * Length / 1000 mm
Other		
TP	4	
RW2	144.0	(Count Grill Side * 24 mm) + Frame Offset
RW1	107.0	(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
Length Side Support	133.0	RW2 - 11 mm
Length Convex Support	120.0	RW1 + 37 mm - 11 mm - 13 mm
Grill70 Support Array Distance0	526.0	Length - Column Location - (Column Width / 2) - Frame Offset - 300 mm
Grill70 Support Array Distance0	504.0	Column Location - (Column Width / 2) - Frame Offset - (11 mm * 2) - 300 mm
Grill20 Array Distance	1752.0	Length - (2 * Frame Offset) - 200 mm
Frame Side Length	120.0	RW2 - Frame Offset
Frame Offset	24.0	24 mm
Frame Main Length	83.0	RW1 - Frame Offset
Count Grill70 Support02	2	Grill70 Support Array Distance02 / 2500 mm + 2
Count Grill70 Support01	2	Grill70 Support Array Distance01 / 2500 mm + 2
Count Grill20 Support	4	Grill20 Array Distance / 600 mm + 1
Count Grill Side	5	((Width Side - 24 mm) / 24 mm)
Count Grill Main	4	((Width - 24 mm - 11 mm) / 24 mm + 1
CTP	191	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if

Family Types:

Parameters:

Figure A.02
PLSK 04 05/00
Family Parameter Reference

A.03 PLSK 05 05/00

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 702	
Frame	RAL 702	
Dimensions		
Width Side	144.0	
Width	125.0	
Length	2000.0	
Column Width	300.0	
Column Location	1000.0	
Identity Data		
URL	http://w	
Model	PL07 05 5/0	
Manufacturer	Meinertz	
Keynote	PL07 05	
GoGetNo	6945	6945
Type Comments		
Description		
Assembly Code		
Cost		
Energy Analysis		
Thermal Performance	462.000000	CTP * Length / 1000 mm
Other		
TP	5	
RW2	144.0	(Count Grill Side * 24 mm) + Frame Offset
RW1	131.0	(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
Length Side Support	133.0	RW2 - 11 mm
Length Convex Support	144.0	RW1 + 37 mm - 11 mm - 13 mm
Grill70 Support Array Distance0	526.0	Length - Column Location - (Column Width / 2) - Frame Offset - 300 mm
Grill70 Support Array Distance0	504.0	Column Location - (Column Width / 2) - Frame Offset - (11 mm * 2) - 300 mm
Grill20 Array Distance	1752.0	Length - (2 * Frame Offset) - 200 mm
Frame Side Length	120.0	RW2 - Frame Offset
Frame Offset	24.0	24 mm
Frame Main Length	107.0	RW1 - Frame Offset
Count Grill70 Support02	2	Grill70 Support Array Distance02 / 2500 mm + 2
Count Grill70 Support01	2	Grill70 Support Array Distance01 / 2500 mm + 2
Count Grill20 Support	4	Grill20 Array Distance / 600 mm + 1
Count Grill Side	5	((Width Side - 24 mm) / 24 mm)
Count Grill Main	5	(Width - 24 mm - 11 mm) / 24 mm + 1
CTP	231	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if

Family Types:

Parameters:

Figure A.03
PLSK 05 05/00
Family Parameter Reference

A.04 PLSK 06 06/00

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 702	
Frame	RAL 702	
Dimensions		
Width Side	168.0	
Width	150.0	
Length	2000.0	
Column Width	300.0	
Column Location	1000.0	
Identity Data		
URL	http://w	
Model	PL07 06 6/0	
Manufacturer	Meinertz	
Keynote	PL07 06	
GoGetNo	6945	6945
Type Comments		
Description		
Assembly Code		
Cost		
Energy Analysis		
Thermal Performance	524.000000	CTP * Length / 1000 mm
Other		
TP	6	
RW2	168.0	(Count Grill Side * 24 mm) + Frame Offset
RW1	155.0	(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
Length Side Support	157.0	RW2 - 11 mm
Length Convrec Support	168.0	RW1 + 37 mm - 11 mm - 13 mm
Grill70 Support Array Distance0	526.0	Length - Column Location - (Column Width / 2) - Frame Offset - 300 mm
Grill70 Support Array Distance0	504.0	Column Location - (Column Width / 2) - Frame Offset - (11 mm * 2) - 300 mm
Grill20 Array Distance	1752.0	Length - (2 * Frame Offset) - 200 mm
Frame Side Length	144.0	RW2 - Frame Offset
Frame Offset	24.0	24 mm
Frame Main Length	131.0	RW1 - Frame Offset
Count Grill70 Support02	2	Grill70 Support Array Distance02 / 2500 mm + 2
Count Grill70 Support01	2	Grill70 Support Array Distance01 / 2500 mm + 2
Count Grill20 Support	4	Grill20 Array Distance / 600 mm + 1
Count Grill Side	6	((Width Side - 24 mm) / 24 mm)
Count Grill Main	6	(Width - 24 mm - 11 mm) / 24 mm + 1
CTP	262	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if

Family Types: New..., Rename..., Delete

Parameters: Add..., Modify..., Remove

OK Cancel Apply Help

Figure A.04
 PLSK 06 06/00
 Family Parameter Reference

A.05 PLSK 07 07/00

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 702	
Frame	RAL 702	
Dimensions		
Width Side	192.0	
Width	175.0	
Length	2000.0	
Column Width	300.0	
Column Location	1000.0	
Identity Data		
URL	http://w	
Model	PL07 07 7/0	
Manufacturer	Meinertz	
Keynote	PL07 07	
GoGetNo	6945	6945
Type Comments		
Description		
Assembly Code		
Cost		
Energy Analysis		
Thermal Performance	574.000000	CTP * Length / 1000 mm
Other		
TP	7	
RW2	192.0	(Count Grill Side * 24 mm) + Frame Offset
RW1	179.0	(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
Length Side Support	181.0	RW2 - 11 mm
Length Convex Support	192.0	RW1 + 37 mm - 11 mm - 13 mm
Grill70 Support Array Distance0	526.0	Length - Column Location - (Column Width / 2) - Frame Offset - 300 mm
Grill70 Support Array Distance0	504.0	Column Location - (Column Width / 2) - Frame Offset - (11 mm * 2) - 300 mm
Grill20 Array Distance	1752.0	Length - (2 * Frame Offset) - 200 mm
Frame Side Length	168.0	RW2 - Frame Offset
Frame Offset	24.0	24 mm
Frame Main Length	155.0	RW1 - Frame Offset
Count Grill70 Support02	2	Grill70 Support Array Distance02 / 2500 mm + 2
Count Grill70 Support01	2	Grill70 Support Array Distance01 / 2500 mm + 2
Count Grill20 Support	4	Grill20 Array Distance / 600 mm + 1
Count Grill Side	7	((Width Side - 24 mm) / 24 mm)
Count Grill Main	7	((Width - 24 mm - 11 mm) / 24 mm + 1
CTP	287	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if

Family Types:

Parameters:

Figure A.05
PLSK 07 07/00
Family Parameter Reference