

Proline med 2 ristdele, med stålkassette

GoGetNo : 6943

Family Types Preset

1. Type – PLSK 08 05/03

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7024 G	
Frame	RAL 7024	
Dimensions		
Width Left Side	96.0	
Width	179.0	
Width Right Side	144.0	
Length	1000.0	
Depth	-100.0	
Identity Data		
URL	http://www.me	
Model	PL07 08 5/3	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 08 5/3	
GoGetNo	6943	=6943
Assembly Code		
Type Comments		
Description		
Cost		
Energy Analysis		
Thermal Performance	317.000000	=CTP * Length / 1000 mm
Other		
Width Inner Right Side	133.0	=RW1 - 11 mm
Width Inner Main	179.0	=RW
Width Inner Left Side	85.0	=RW2 - 11 mm
TP	8	
Side Grill 2 Support	85.0	=RW2 - 11 mm
Side Grill 1 Support	133.0	=RW1 - 11 mm
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
RW2	96.0	=Count Grill Left Side * 24 mm + Frame Offset
RW1	144.0	=Count Grill Right Side * 24 mm + Frame Offset
RW	179.0	=(Count Grill Main - 1) * 24 mm + 11 mm
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Right Side	5	=(Width Right Side - 24 mm) / 24 mm
Count Grill Main	8	=(Width - 11 mm) / 24 mm + 1
Count Grill Left Side	3	=(Width Left Side - 24 mm) / 24 mm
Count Convec Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Support	253.0	=RW + 37 mm * 2
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	317	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if

Buttons: New..., Rename..., Delete, Add..., Modify..., Remove, OK, Cancel, Apply, Help

Figure A.01
Type - PLSK 08 05/03
Family Parameter Reference

2. Type – PLSK 09 05/04

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7024 G	
Frame	RAL 7024	
Dimensions		
Width Left Side	120.0	
Width	203.0	
Width Right Side	144.0	
Length	1000.0	
Depth	-100.0	
Identity Data		
URL	http://www.me	
Model	PL07 09 5/4	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 09 5/4	
GoGetNo	6943	6943
Assembly Code		
Type Comments		
Description		
Cost		
Energy Analysis		
Thermal Performance	339.000000	=CTP * Length / 1000 mm
Other		
Width Inner Right Side	133.0	=RW1 - 11 mm
Width Inner Main	203.0	=RW
Width Inner Left Side	109.0	=RW2 - 11 mm
TP	9	
Side Grill 2 Support	109.0	=RW2 - 11 mm
Side Grill 1 Support	133.0	=RW1 - 11 mm
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
RW2	120.0	=Count Grill Left Side * 24 mm + Frame Offset
RW1	144.0	=Count Grill Right Side * 24 mm + Frame Offset
RW	203.0	=(Count Grill Main - 1) * 24 mm + 11 mm
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Right Side	5	=((Width Right Side - 24 mm) / 24 mm)
Count Grill Main	9	=(Width - 11 mm) / 24 mm + 1
Count Grill Left Side	4	=((Width Left Side - 24 mm) / 24 mm)
Count Convex Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Support	277.0	=RW + 37 mm * 2
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	339	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if

Family Types

New...
Rename...
Delete

Parameters

Add...
Modify...
Remove

OK Cancel Apply Help

Figure A.02
Type - PLSK 09 05/04
Family Parameter Reference

3. Type – PLSK 10 05/05

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7024 G	
Frame	RAL 7024	
Dimensions		
Width Left Side	144.0	
Width	227.0	
Width Right Side	144.0	
Length	1000.0	
Depth	-100.0	
Identity Data		
URL	http://www.me	
Model	PL07 10 5/5	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 10 5/5	
GoGetNo	6943	6943
Assembly Code		
Type Comments		
Description		
Cost		
Energy Analysis		
Thermal Performance	359.000000	=CTP * Length / 1000 mm
Other		
Width Inner Right Side	133.0	=RW1 - 11 mm
Width Inner Main	227.0	=RW
Width Inner Left Side	133.0	=RW2 - 11 mm
TP	10	
Side Grill 2 Support	133.0	=RW2 - 11 mm
Side Grill 1 Support	133.0	=RW1 - 11 mm
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
RW2	144.0	=Count Grill Left Side * 24 mm + Frame Offset
RW1	144.0	=Count Grill Right Side * 24 mm + Frame Offset
RW	227.0	=(Count Grill Main - 1) * 24 mm + 11 mm
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Right Side	5	=((Width Right Side - 24 mm) / 24 mm)
Count Grill Main	10	=((Width - 11 mm) / 24 mm) + 1
Count Grill Left Side	5	=((Width Left Side - 24 mm) / 24 mm)
Count Convex Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Support	301.0	=RW + 37 mm * 2
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	359	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if

Buttons: OK, Cancel, Apply, Help

Figure A.03
Type - PLSK 10 05/05
Family Parameter Reference

4. Type – PLSK 11 06/05

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7024 G	
Frame	RAL 7024	
Dimensions		
Width Left Side	144.0	
Width	251.0	
Width Right Side	168.0	
Length	1000.0	
Depth	-100.0	
Identity Data		
URL	http://www.me	
Model	PL07 11 6/5	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 11 6/5	
GoGetNo	6943	6943
Assembly Code		
Type Comments		
Description		
Cost		
Energy Analysis		
Thermal Performance	382.000000	=CTP * Length / 1000 mm
Other		
Width Inner Right Side	157.0	=RW1 - 11 mm
Width Inner Main	251.0	=RW
Width Inner Left Side	133.0	=RW2 - 11 mm
TP	11	
Side Grill 2 Support	133.0	=RW2 - 11 mm
Side Grill 1 Support	157.0	=RW1 - 11 mm
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
RW2	144.0	=Count Grill Left Side * 24 mm + Frame Offset
RW1	168.0	=Count Grill Right Side * 24 mm + Frame Offset
RW	251.0	=(Count Grill Main - 1) * 24 mm + 11 mm
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Right Side	6	=((Width Right Side - 24 mm) / 24 mm)
Count Grill Main	11	=(Width - 11 mm) / 24 mm + 1
Count Grill Left Side	5	=((Width Left Side - 24 mm) / 24 mm)
Count Convex Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Support	325.0	=RW + 37 mm * 2
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	382	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if

Buttons: OK, Cancel, Apply, Help

Figure A.04
Type - PLSK 11 06/05
Family Parameter Reference

5. Type – PLSK 12 06/06

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7024 G	
Frame	RAL 7024	
Dimensions		
Width Left Side	168.0	
Width	275.0	
Width Right Side	168.0	
Length	1000.0	
Depth	-100.0	
Identity Data		
URL	http://www.me	
Model	PL07 12 6/6	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 12 6/6	
GoGetNo	6943	6943
Assembly Code		
Type Comments		
Description		
Cost		
Energy Analysis		
Thermal Performance	404.000000	=CTP * Length / 1000 mm
Other		
Width Inner Right Side	157.0	=RW1 - 11 mm
Width Inner Main	275.0	=RW
Width Inner Left Side	157.0	=RW2 - 11 mm
TP	12	
Side Grill 2 Support	157.0	=RW2 - 11 mm
Side Grill 1 Support	157.0	=RW1 - 11 mm
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
RW2	168.0	=Count Grill Left Side * 24 mm + Frame Offset
RW1	168.0	=Count Grill Right Side * 24 mm + Frame Offset
RW	275.0	=(Count Grill Main - 1) * 24 mm + 11 mm
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Right Side	6	=((Width Right Side - 24 mm) / 24 mm)
Count Grill Main	12	=(Width - 11 mm) / 24 mm + 1
Count Grill Left Side	6	=((Width Left Side - 24 mm) / 24 mm)
Count Convex Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Support	349.0	=RW + 37 mm * 2
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	404	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if

Family Types: New..., Rename..., Delete

Parameters: Add..., Modify..., Remove

OK Cancel Apply Help

Figure A.05
Type - PLSK 12 06/06
Family Parameter Reference

6. Type – PLSK 13 07/06

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7024 G	
Frame	RAL 7024	
Dimensions		
Width Left Side	168.0	
Width	299.0	
Width Right Side	192.0	
Length	1000.0	
Depth	-100.0	
Identity Data		
URL	http://www.me	
Model	PL07 13 7/6	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 13 7/6	
GoGetNo	6943	6943
Assembly Code		
Type Comments		
Description		
Cost		
Energy Analysis		
Thermal Performance	424.000000	=CTP * Length / 1000 mm
Other		
Width Inner Right Side	181.0	=RW1 - 11 mm
Width Inner Main	299.0	=RW
Width Inner Left Side	157.0	=RW2 - 11 mm
TP	13	
Side Grill 2 Support	157.0	=RW2 - 11 mm
Side Grill 1 Support	181.0	=RW1 - 11 mm
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
RW2	168.0	=Count Grill Left Side * 24 mm + Frame Offset
RW1	192.0	=Count Grill Right Side * 24 mm + Frame Offset
RW	299.0	=(Count Grill Main - 1) * 24 mm + 11 mm
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Right Side	7	=((Width Right Side - 24 mm) / 24 mm)
Count Grill Main	13	=((Width - 11 mm) / 24 mm) + 1
Count Grill Left Side	6	=((Width Left Side - 24 mm) / 24 mm)
Count Convex Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Support	373.0	=RW + 37 mm * 2
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	424	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if

Family Types: New..., Rename..., Delete

Parameters: Add..., Modify..., Remove

OK Cancel Apply Help

Figure A.06
Type - PLSK 13 07/06
Family Parameter Reference

7. Type – PLSK 14 07/07

Family Types

Name:

Parameter	Value	Formula
Materials and Finishes		
Grill	RAL 7024 G	
Frame	RAL 7024	
Dimensions		
Width Left Side	192.0	
Width	323.0	
Width Right Side	192.0	
Length	1000.0	
Depth	-100.0	
Identity Data		
URL	http://www.me	
Model	PL07 13 7/6	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 13 7/6	
GoGetNo	6943	=6943
Assembly Code		
Type Comments		
Description		
Cost		
Energy Analysis		
Thermal Performance	444.000000	=CTP * Length / 1000 mm
Other		
Width Inner Right Side	181.0	=RW1 - 11 mm
Width Inner Main	323.0	=RW
Width Inner Left Side	181.0	=RW2 - 11 mm
TP	14	
Side Grill 2 Support	181.0	=RW2 - 11 mm
Side Grill 1 Support	181.0	=RW1 - 11 mm
Side Grill Length	930.0	=RL - (2 * Frame Offset) - 22 mm
RL	1000.0	=if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
RW2	192.0	=Count Grill Left Side * 24 mm + Frame Offset
RW1	192.0	=Count Grill Right Side * 24 mm + Frame Offset
RW	323.0	=(Count Grill Main - 1) * 24 mm + 11 mm
Frame Offset	24.0	=24 mm
Count Side Support	3	=(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill Right Side	7	=((Width Right Side - 24 mm) / 24 mm)
Count Grill Main	14	=(Width - 11 mm) / 24 mm + 1
Count Grill Left Side	7	=((Width Left Side - 24 mm) / 24 mm)
Count Convec Support	2	=(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection Support	397.0	=RW + 37 mm * 2
Convection Grill Length	941.0	=RL - (2 * Frame Offset) - 11 mm
CTP	444	=if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if

Family Types: New..., Rename..., Delete

Parameters: Add..., Modify..., Remove

OK Cancel Apply Help

Figure A.07
Type - PLSK 14 07/07
Family Parameter Reference